

DECLARATION OF PERFORMANCE
DoP No. ANCHRD/CPR-1/2016

1. Unique identification code of the product-type: **Anchor Set Red**
2. Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4) **ETA-13/0722**
Batch number: see packaging of the product.
3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

Generic type	Bonded injection type anchor sizes M8, M10, M12, M16, M20, M24
For use in	For use in uncracked concrete from minimum C20/25 to maximum C50/60 according to EN 206-1:2000 for fixing and/or supporting to concrete structural elements or heavy units.
Option / Category	ETAG001 parts 1 and 5 (used as an EAD) option 7
Loading	Static / quasi static
Material	<u>zinc-plated steel:</u> dry internal conditions only covered sizes: M8, M10, M12, M16, M20, M24 <u>stainless steel (marking A4):</u> internal and external use without particular aggressive conditions covered sizes: M8, M10, M12, M16, M20, M24 <u>highly corrosion resistant steel (marking C):</u> internal and external use with particular aggressive conditions covered sizes: M8, M10, M12, M16, M20, M24
Temperature range (if applicable)	Service temperature range: -40°C to +80°C Maximum long term temperature: +50°C Maximum short term temperature: +80°C

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11(5):

Everbuild Building Products Ltd. Site 41, Knowsthorpe Way, Cross Green Industrial Estate, Leeds, LS90SW

5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):

--

6. System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:

System 1

7. In case of the declaration of performance concerning a construction product covered by a harmonised standard: --

--

8. In case of the declaration of performance concerning a construction product for which a European Technical Assessment has been issued:

TZUS, Praha
ETA-13/0722
on the basis of
ETAG001 parts 1 and 5 used as an EAD

The notified body **1020** performed description of the third party tasks as set out in Annex V

9. Declared performance:

Essential Characteristics	Design Method	Performance	Harmonized Technical Specification
characteristic resistance for tension	EOTA TR029	ETA-13/0722, annex C1	ETAG001 parts 1 and 5
characteristic resistance for shear	EOTA TR029	ETA-13/0722, annex C2	
minimum spacing and minimum edge distance	EOTA TR029	ETA-13/0722, annex B4	
displacement for serviceability limit state	EOTA TR029	ETA-13/0722, annex C3	

Where pursuant to Article 37 or 38 in the Specific Technical Documentation has been used, the requirements with which the product complies: --

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:





Name 1 Paul Thomas
Function R&D Manager
Place and date of issue Leeds 31/03/2016

Name 2 Andrew Scanlon
Function Chemist

